

PICNet Surveillance Protocol for Methicillin-Resistant *Staphylococcus aureus* (MRSA) in BC Acute Care Facilities

Drafted by Provincial Infection Control Network of British Columbia (PICNet)

June 2014

Contacts:

Guanghong Han, PhD
Surveillance Epidemiologist
BC Provincial Infection Control Network
1001 West Broadway, Suite 504,
Vancouver, BC V6H 4B1

Tel: 604-875-4844 ext 22983

Fax: 604-875-4373

Email: guanghong.han@phsa.ca

Bruce Gamage, RN BSN CIC

Network Manager
BC Provincial Infection Control Network
1001 West Broadway, Suite 504,
Vancouver, BC V6H 4B1

Tel: 604-875-4844 ext 22981

Fax: 604-875-4373

Email: bruce.gamage@phsa.ca

Contents					
Introduction2					
Objectives3					
Population under surveillance3					
Case definition3					
Case classification4					
Data collection and submission5					
Data analysis and dissemination6					
Appendix A. Surveillance Steering Committee7					
Appendix B. MRSA Cases Data Submission Form8					
Appendix C. MRSA Denominator Data Submission Form8					

Introduction

Methicillin-resistant *Staphylococcus aureus* (MRSA) has emerged as an important pathogen in the hospital setting worldwide. In Canada, both healthcare-associated (HCA) and community-associated (CA) MRSA have created major medical problems¹. Between 1995 and 2007, the overall rate of MRSA incidence in Canadian hospitals² increased from 0.65 to 11.04 cases per 10,000 patient-days, and HCA MRSA accounted for nearly two-third of all cases³.

Surveillance is an important tool to assess the incidence of healthcare-associated infections (HAI) and to improve infection control measures in healthcare facilities⁴. The data for MRSA incidence in BC hospitals have been collected by each health authority (HA), either as a member of the Canadian Nosocomial Infection Surveillance Program (CNISP), or a part of its own surveillance program. Since 2006, the Provincial Infection Control Network of British Columbia (PICNet), in collaboration with each HA, has been working to consolidate surveillance programs on healthcare-associated infections (HAI) in BC healthcare facilities. A provincial surveillance protocol for MRSA was developed in 2011 by PICNet's Surveillance Steering Committee (SSC) (see appendix A) to standardize case definitions, data collection and reporting. The protocol is reviewed annually to ensure consistency with national and international accepted definition and reflect scientific advances in MRSA prevention and control. This updated protocol provides guidance for collecting and reporting MRSA surveillance data in BC acute care facilities from April 2014 onwards. Any modifications or changes in applying this protocol should be communicated with PICNet in advance to facilitate data analysis and interpretation.

-

¹ Cimolai N (2010). Canadian Journal of Microbiology 56:89-120

² Simor AE, et al (2010). Infection Control and Hospital Epidemiology 31:348-356

³ Public Health Agency of Canada (2011). Result of the surveillance of Methicillin-resistant Staphylococcus aureus – from 1995 to 2009 – A project of Canadian Nosocomial Infection Surveillance Program (CNISP). http://www.phac-aspc.gc.ca

⁴ Chaberny IF, et al (2007). Infection Control and Hospital Epidemiology 28:446-452

Objectives

The objectives of the provincial MRSA surveillance program are to:

- determine the rate of healthcare-associated MRSA in BC acute care facilities
- monitor the trend and patterns of MRSA in the province
- provide provincial information to assist in improving and evaluating MRSA infection prevention and control programs

Population under surveillance

The population under MRSA surveillance is the inpatients admitted to the acute care facilities in BC. INCLUDES:

- patients admitted to the emergency department awaiting placement (e.g. patients admitted to a service who are waiting for a bed)
- patients in alternative level of care beds
- patients in labour and delivery beds
- patients in mental health beds*
 - * Note: In the case that mental health inpatients are NOT included in the population under surveillance for MRSA in your health authority, the cases of MRSA identified among mental health inpatients should be EXCLUDED from your MRSA data submission.

EXCLUDES:

- outpatient visits to the clinics in the acute care facilities
- emergency room patients who were not admitted to an acute care inpatient unit
- patients in extended care beds housed in acute care facilities

Case definition

The MRSA cases under PICNet surveillance must meet **ALL** of the following criteria:

- Laboratory identification of MRSA, including Staphylococcus aureus cultured from any specimen
 that tests oxacillin-resistant by standard susceptibility testing methods; or by a positive result for
 penicillin binding protein 2a (PBP2a); or molecular testing for mecA. May also include positive
 results of specimens tested by other validated polymerase chain reaction (PCR) tests for MRSA
- · Patient must be admitted to the reporting facility for acute care
- Must be a new case of MRSA, either infection or colonization, as an inpatient in the reporting facility
- Patient has no known history of MRSA in any BC acute care facilities

INCLUDES:

- MRSA cases identified for the first time among the inpatients at the time of admission or during their hospitalization in the reporting facility
- MRSA cases newly identified among the patients in the emergency department who were subsequently admitted to the reporting facility

 MRSA cases that were identified previously by outpatient clinics (including ambulatory care), or long-term care facilities, or out of BC, but were a new case as an inpatient to a BC acute care facility

EXCLUDES:

- MRSA cases previously identified by the reporting facility or other acute care facilities in BC
- MRSA cases identified in the emergency department or outpatient clinics who were not admitted to the reporting facility
- Patients transferred from another acute care facility with documented positive MRSA history
- MRSA cases identified in the long-term care facilities or residence facilities, or outpatient clinics and the patients were not admitted to a BC acute care facility

Case classification

The MRSA cases are classified into the following 5 categories based on the date of MRSA identification and patient's healthcare encounter history in the last 12 months:

Healthcare-associated with Current Admission to the Reporting Facility

- An MRSA case (as defined above) identified > 48 hours or > 2 calendar days (the day of admission counted as the first calendar day, the same hereinafter)* after the patient was admitted to the reporting facility
 - * Note: The health authorities that have applied > 72 hours or > 3 calendar days after admission⁵ can continue their timeframe for MRSA cases being classified as associated with current admission to the reporting facility, and \leq 72 hours or \leq 3 calendar days for the following categories, with communication to PICNet.

• Healthcare-associated with Previous Encounter with the Reporting Facility

- An MRSA case (as defined above) identified \leq 48 hours or \leq 2 calendar days after the patient was admitted to the reporting facility, **AND** one of the followings
- The patient was admitted to the reporting facility for a period of ≥ 24 hours or at least overnight stay within the last 12 months, OR
- Presence of indwelling catheters or other medical device at time of admission, which was inserted by the reporting facility, OR
- Documented history of weekly visits to an outpatient clinic (e.g., dialysis, oncology) in the reporting facility for more than 4 weeks in the last 12 months

Healthcare-associated with Another Healthcare Facility

- o An MRSA case (as defined above) identified \leq 48 hours or \leq 2 calendar days after the patient was admitted to the reporting facility, **AND** one of the following:
- The patient was admitted to another healthcare facility (including acute care and long-term care) for a period of ≥ 24 hours or at least overnight stay, or weekly visits to an outpatient clinic (e.g., for dialysis, oncology) at another facility, within the last 12 months, OR

.

⁵ Cohen AL, et al (2008). Infection Control and Hospital Epidemiology 29:901-913

 Presence of indwelling catheters or other medical device at time of admission, which was inserted by another facility

Community-associated

- O An MRSA case (as defined above) identified ≤ 48 hours or ≤ 2 calendar days after the patient was admitted to the reporting facility, AND there was no documented history for any of following healthcare exposure within the last 12 months:
- Admitted to an acute care facility
- Residence in a long-term care facility or rehab centre
- Weekly visits to an outpatient clinic (e.g., dialysis, oncology) in the healthcare facilities
- Use of indwelling catheters or other medical device

Unknown

 An MRSA case (as defined above) where there is insufficient information on healthcare exposure history to classify the case

Note:

- 1) An MRSA case (as defined above) in a newborn (less than 28 days) may be considered as "HCA with current admission in the reporting facility" if the mother was not known to be MRSA positive on admission or the mother was not suspected to have MRSA colonization prior to admission. In the case of a newborn transferred from another institution and MRSA is identified ≤ 48 hours after admission, the case can be classified as "HCA with another healthcare facility".
- 2) If the patient had multiple encounters with different healthcare facilities (i.e. overnight or ≥ 24 hours stay, weekly visits to outpatient clinics) in the past 12 months, the attribution of MRSA classification can be judged by the risk assessment of the encounters, or based on the most recent healthcare encounter.

Data collection and submission

The following information of MRSA cases and denominators was determined by the SSC as a minimum dataset for the provincial MRSA surveillance.

Core data elements for MRSA cases

The following variables should be collected for each MRSA case.

- o Case ID#
- Date of admission
- Name of reporting facility
- o Date of specimen collection (or MRSA identification)
- Classification
 - Healthcare-associated with Current Admission to the Reporting Facility
 - Healthcare-associated with Previous encounter with the Reporting Facility
 - Healthcare-associated with Another Healthcare Facility
 - Community Associated

- Unknown

Denominator data

The following data should be collected from each acute care facility by fiscal quarter (or calendar quarter) as denominators for MRSA measurement:

- Total number of patient hospital admissions
- Total number of inpatient-days
- o Average count of beds per quarter

Data submission

After end of each fiscal quarter, each HA will aggregate the cases of MRSA at the facility level (see Appendix B), then submit these data to PICNet along with the denominator data (see Appendix C), via email by due date. At the end of each fiscal year, PICNet will verify the quarterly submitted data with each HA.

Data analysis and dissemination

PICNet will merge and analyze the data submitted quarterly from each HA, and generate the following metrics:

- Total number of MRSA cases by fiscal quarter and year
- Proportion of MRSA by classification and HA
- Provincial rate of MRSA associated with reporting facility by fiscal quarter and year
- Rate of MRSA associated with reporting facility by HA
- Rate of MRSA associated with reporting facility by size of facility
- Rate of MRSA associated with reporting facility by acute care facility

The quarterly results will be summarized in the tables and graphs as quarterly MRSA surveillance report. An annual MRSA surveillance report will be developed at the end of each fiscal year. All reports will be sent to the SSC members/HA for review, then to the Ministry of Health for approval for public release. Once approved, the reports will be posted at PICNet's website (www.picnet.ca). As required, the data will also be posted at the SharePoint of Ministry of Health each quarter.

Appendices

- Appendix A. Surveillance Steering Committee
- Appendix B. MRSA Cases Data Submission Form
- Appendix C. MRSA Denominators Data Submission Form

Appendix A. Surveillance Steering Committee

PICNet's Surveillance Steering Committee (SSC) consists of the representatives from each health authority, related professional societies, and PICNet Management Office. SSC provides guidance to the provincial surveillance programs regarding healthcare-associated infections and assists the PICNet Management Office in implementation within the participating Health Authorities. The members of the committee include:

- Jun Chen Collet, Provincial Health Services Authority (PHSA)
- Tara Donovan, Fraser Health Authority (FHA)
- Leslie Forrester, Vancouver Coastal Health Authority (VCHA)
- Bruce Gamage, Provincial Infection Control Network of British Columbia (PICNet)
- Dr. Guanghong Han, Provincial Infection Control Network of British Columbia (PICNet)
- Deanna Hembroff, Northern Health Authority (NHA)
- Dr. Bonnie Henry, BC Center for Disease Control (BCCDC)
- Dr. Linda Hoang, BC Association of Medical Microbiologists (BCAMM)
- Anthony Leamon, Vancouver Island Health Authority (VIHA)
- Dr. Elisa Lloyd-Smith, Providence Health Care (PHC)
- Dr. Julie Mori, Interior Health Authority (IHA)

Appendix B. MRSA Cases Data Submission Form

Health Authority:						
Reporting period:						
Number of MRSA cases by classification and facility						

Name of Acute Care Facility	Healthcare- associated with Current Admission to the Reporting Facility	Healthcare- associated with Previous Encounter with the Reporting Facility	Healthcare- associated with Another Healthcare Facility	Community- associated	Unknown	Total
Total						

Appendix C. MRSA Denominator Data Submission Form

Reporting period:			
Name of facility	Number of	Total number of	Total number of
	acute care beds	acute care inpatient days	acute care admissions
Total			

Health Authority: